






RoHS Compliant

Mechanical:




ConnectMaterial:

- 1.SHELL: COPPER ALLOY PLATING: 30u" NICKEL MIN.
- 2.HOUSING AND INSERTER: PBT, UL94V-0, COLOR: BLACK.
- 3.RJ45 TERMINAL: PHOSPHOR BRONZE T=0.35mm
PLATING: 30u" NICKEL Min. UNDER PLATED
ALL OVER 100u" TIN Min. PLATED ALL OVER
6u" GOLD PLATED ON CONTACT AREA.
- 4.OTHERS TERMINAL: BRASS T=0.35mm
PLATING: 30u" NICKEL Min. UNDER PLATED
ALL OVER 100u" TIN Min. PLATED ALL OVER.




Recommended PCB Layout
(Tolerance: ±0.05)

QC Inspection Item	DIMENSION IN mm [Inch]		ZhenDeng Electronics Co.,Ltd			
	TOLERANCE UNLESS OTHERWISE SPECIFIED		TITLE			
	.X± 0.38	X.*± 2.0*	RJ45 1X2 10/100/1000 BASE-T			
	.XX± 0.20	.X*± 1.0*	DRAWING NUMBER			
	.XXX± 0.10		22214061			
APPROVE	CHECK		DRAW	PROJ.	SHEET	OF
			CLT 2024,07,30	3:1	1	2
				SCALE	SIZE	REV
					A4	A



RoHS Compliant

REV	MODIFICATION	DATE	DRAW	APPROVE



NOTES:

1. PRIMARY PACKING: 40PCS/TRAY
2. SECONDARY PACKING: 10TRAY/CARTON(400PCS/CARTON)
3. CARTON SIZE: 340x215x255mm

QC Inspection Item	DIMENSION IN mm [Inch]		ZhenDeng Electronics Co.,Ltd		
	TOLERANCE UNLESS OTHERWISE SPECIFIED		TITLE		
	.X± 0.38	X.*± 2.0°	22&32 1X2 PACKING		
	.XX± 0.20	.X*± 1.0°	DRAWING NUMBER		
	.XXX± 0.10		22&32 1X2 PACKING		
APPROVE	CHECK	DRAW	CLT 2024,07,30	PROJ. SCALE 5:3	SHEET 1 OF 1 REV B