







RoHS Compliant Halogen Free

Mechanical:



DATE CODE



Recommended PCB Layout
(Tolerance:±0.05)

1.Material:

1.1 Housing: PBT UL94V-0 Black.

Insert: PBT UL94V-0 Black.

1.2 Shell: 30u" Ni Over Brass(C2680),T=0.20mm.

1.3 RJ45 Terminal:Phosphor Bronze(C5191) T=0.35mm

Plating:6u" Gold Plated On Contact Area,

80u" ~120u" Tin Plated On Solder Area,

50u" ~80u" Ni Underplated Overall.

1.4 Tail Terminal: Brass(C2680) T=0.35mm,


Plating: 80u" ~120u" Tin Plated Over,

30u" ~50u" Ni Underplated Overall.

2.Environmental requirements:




2.1 Lead-free process,compliant RoHS.

QC Inspection Item	DIMENSION IN mm [Inch]		ZhenDeng Electronics Co.,Ltd			
	TOLERANCE UNLESS OTHERWISE SPECIFIED		TITLE			
	.X± 0.38	X.*± 2.0°	RJ45 1X1 TAB-UP 10/100/1000			
	.XX± 0.20	.X*± 1.0°	DRAWING NUMBER			
	.XXX± 0.10		31213081			
APPROVE	CHECK		DRAW	CLT	PROJ.	SHEET 1 OF 3
			2024,05,10		SCALE 1:1	REV A
					SIZE A3	




RoHS Compliant



Packing:



WATER-PROOF BAG



PACKAGING TAPE



NOTES:

1. PRIMARY PACKING: 70PCS/TRAY
2. SECONDARY PACKING: 10TRAY/CARTON(700PCS/CARTON)
3. CARTON SIZE: 340x215x255mm

QC Inspection Item	DIMENSION IN mm [Inch]		ZhenDeng Electronics Co.,Ltd				
	TOLERANCE UNLESS OTHERWISE SPECIFIED		TITLE				
	.X± 0.38	X.*± 2.0°	RJ45 1X1 21&31– PACKING				
	.XX± 0.20	.X*± 1.0°	DRAWING NUMBER				
	.XXX± 0.10		21&31– PACKING				
	APPROVE	CHECK	DRAW	CLT	PROJ.		SHEET 3
		2024,05,10		SCALE 1:1		SIZE A3	REV A